

DALDECOR



PINEWOOD PAVING SQUARES



DALDECOR : the natural wood on your terrace



DALDECOR is a treated pinewood paving square. It comes in a natural colour with wood veins. It can be installed outside on paving support pads or may be used as a boardwalk.





Scope of use

DALDECOR is designed to allow pedestrian traffic on a terrace. When used on fixed or adjustable paving support pads, it can withstand up to 250 kg/m².

Advantages

■ AESTHETIC :

Pine-wood ensures excellent finishing of a terrace. DALDECOR can easily blend with any architectural style. DALDECOR is made out of first grade pine wood with a maximum of 5 natural irregularities on each facing.

■ DURABLE

The wood is treated against biological aggressions. It also features a 10 year warranted fungicide protection. Stainless steel nails used in the installation also provide protection against corrosion.

■ RESISTANT TO WATER

DALDECOR paving squares withstand extended contact with water without any deterioration.

Characteristics

Dimensions: 500 x 500 mm

Thickness: 44 mm

Configuration: 7 surface plates + 2 support plates

Packing

- Packs of 4 paving squares of 0.50 x 0.50 m each (coverage = 1 sqm).
- Pallets of 28 packs (coverage = 28 sqm).

Installation

DALDECOR is simply installed on the support pads or directly on the substrate. In the latter case a metallic linking plate ensures paving square connection.

For more information about the waterproofing system please refer to specific **SOPREMA** literature.

Accessories

- Finishing plates (pack of 10 units)
- Stainless steel nails (1 kg)
- Skirting boards (pack of 10 x 2 lm)
- Linking plate
- Paving support pads: 8 mm or 35 mm
- Adjustable paving support pads:
 - 40 to 67 mm (boxes of 120 pieces)
 - 60 to 90 mm (boxes of 60 pieces)
 - 90 to 150 mm (boxes of 60 pieces)
 - 150 to 260 mm (boxes of 48 pieces)



SOPREMA reserve the right to modify the composition, conditions of use and therefore the prices of products without notice, depending upon the development of technology and techniques.

As a result, orders shall be accepted on the basis of the terms and specifications applicable when they are received.

STRASBOURG COMPANY REGISTER 558 500 187 00098.

Studio Mark C.Ashcroft



SOPREMA

SBS Roofing Limited

PO Box 52, Waterlooville, Hants. PO7 7YQ

Tel: 023 9225 6480 - Fax: 023 9225 6510

e-mail: soprema.sbs@btconnect.com